

Visualize your home with a new garage door. Visit garaga.com/designcentre or scan the QR code.





TRADITIONAL

MODEL PATTERNS AND LAYOUTS

Prestige






Novatech*

Match your Prestige garage door with the Orleans, London or Sydney entry doors from Novatech's Prestige Collection.

Shaker-Flat1





Classic





Classic CC/Short Classic CC/Short

Classic MIX

Classic XL/Long Classic XL/Long

to 9' x 7' and 16' x 7' doors.



¹Depending on the door construction, some patterns have a bead line above and below. The configurations shown are equivalent









Prestige XL, 9' x 8', Moka Brown, Cachet windows/Coordinated with Orleans entry door with Cachet stained glass from Novatech's Prestige Collection



CONTEMPORARY

MODEL PATTERNS AND LAYOUTS

Shaker-Modern





Novatech*

Match your Shaker-Modern garage door with the Soho, Victoria Shaker or Brixton entry doors from Novatech's Shaker Collection.

Vog®





Novatech^{*}

Match your Vog garage door with a Vog entry door from Novatech's Design Collection.

Moderno





Moderno 2 beads

Grooved





Flush







The configurations shown are equivalent to 9' x 7' and 16' x 7' doors.

More inspiration garaga.com/contemporary







Moderno Multi, 16' x 8', Chocolate Walnut, window layout: Left-side Harmony



Vog, 8' x 8', Black, Screen windows / Coordinated with Vog entry door from Novatech

CARRIAGE HOUSE

MODEL PATTERNS AND LAYOUTS

Shaker-CS1



Shaker-CS Short	Shaker-CS Short

Shaker-CS LP/Long

Shaker-Flat1



0000 0000 0000 0000 0000 0000	0000 0000 0000 0000 0000 0000 0000 000
Shaker-Flat XS/XSmall	Shaker-Flat XS/XSmall

North Hatley


North Hatley I P

Shaker-CS LP/Long



¹Depending on the door construction, some patterns have a bead line above and below.

North Hatley LP



The configurations shown are equivalent to 9' \times 7' and 16' \times 7' doors.



Shaker-CS Short, 9' x 7', White, windows with Double Stockton Arch Inserts







North Hatley SP, 9' x 7', Dark Sand, windows with Double Stockton Arch Inserts



Townships Collection®



Princeton













Eastman













Cambridge







The configurations shown are equivalent to 9' x 7' doors.



More inspiration garaga.com/townships-collection




Princeton P-23, 8' x 7', Desert Sand doors and overlays, 8 lite Panoramic windows






Willage Collection™



Flat Base



Plank Base



The configurations shown are equivalent to 9' x 7' doors.

California^{*}



Windows

More than 25 choices available.

^{*}Semi-custom color doors are coated with an acrylic resin-based liquid paint.

More inspiration garaga.com/village-collection



Village Collection X Layout, Flat base, 9' x 7', White, windows with Stockton Inserts



Village Collection I-1 Layout, Plank base, 9' x 8', Brown, windows with Richmond Arch Inserts



WINDOWS

The windows and inserts' availability depends on the garage door model you choose. To find the perfect ones for you among the sizes and options available, build your door at garaga.com/designcentre or scan the QR code.



Privacy Level: X/5


Stained glass







Types of glass


















Clear 40" x 13" thermopane glass is also available with the Low-E Argon energy option.


Coordinated with Novatech

Garaga is proud to collaborate with the entry door manufacturer Novatech, so we can offer you products that go together perfectly. Visit garaga.com/novatech or scan the QR code.



Orion





Panoramic (Townships Collection only)



Without grids


4 vertical lites

8 lites

COLORS

The colors' availability depends on the garage door model you choose. Visit garaga.com/designcentre to build the perfect door for you.

Standard



[†]Colors of overlays available for Townships Collection garage doors.

Gentek: visit garaga.com/gentek to see Gentek's equivalent aluminum capping.

Premium option: low additional fees apply.

Visit garaga.com/premiumcolors to learn more about Garaga's Premium colors.

SUMMARY

MODELS	Townships Collection	Village Collection	Standard+	Acadia 138	Vantage	Regal			
TECHNICAL FEATURES									
Construction	3 layers Polyurethane R-16	Same as Vantage & Regal	3 layers Polyurethane R-16	3 layers Polyurethane R-12	3 layers Polystyrene	2 layers Polystyrene or Non- insulated			
Thickness	2 3/8"	2"	1¾"	1%"	2"	2"			
Warranty	Lifetime (limited)	Lifetime (limited)	Lifetime (limited)	Lifetime (limited)	Lifetime (limited)	15 years (limited)			
COLORS									
Ice White / White	•	•	•	•	•	24, N24, N25			
Desert Sand / Almond	•	•	•	•	•	N24, N25			
Sahara		•			•	N24, N25			
Claystone / Sandstone	•	•	•	•	•	N24, N25			
Dark Sand / Terrastone	•	•	•	•	•	N24			
Moka Brown / Brown	0	0	0	0	0	N24			
Black / Black Ice	•	•	•	•	•	N24			
Charcoal	•		•	•					
Iron Ore Walnut	•		•						
Chocolate Walnut	0		0	0					
American Walnut ¹			0						
Dark Walnut		0			0	N24			
Cherry		•			•	N24			
Evergreen ²	•		•						
MODEL PATTERNS AND LAYOUTS									
Princeton, Eastman, Cambridge	•								
Village X, A, V, I-1, I-2		0							
Prestige XL			•						
Shaker-Modern XL			•						
Shaker-Flat CC/Short, Shaker-Flat XL/Long			•		•	N24			
Shaker-Flat XS/XSmall			•		•	N24, N25			
Shaker-CS Short					•	N24, N25			
Shaker-CS LP/Long					•	N24, N25			
Classic CC/Short, Classic XL/Long			•	•	•	24, N24, N25			
Classic MIX			•	•					
Vog			•						
Moderno 2 beads			•	•					
Moderno Multi/SSG			•		•				
Grooved			•	•					
Flush			•	•	•	24, N24			
North Hatley SP			0	0					
North Hatley LP			•	•					

¹ American Walnut color is not available for the following Standard+ patterns: Vog, Flush, Moderno and Grooved.
² Evergreen color is not available for the following Standard+ patterns: Vog, Prestige and Shaker patterns.

3 STEPS TO CHANGE YOUR

Choose your style

Whatever style you desire, you will find it with Garaga. Consider the different possibilities of model patterns, layouts and windows, and make a choice from among the models of our 3 different looks: Traditional, Contemporary, Carriage House.

Choose your color

Whether you opt for a classic color or one more modern, choose one that blends well with the other exterior features of your home.







Choose your construction

From among our varied garage door compositions, you are sure to find the insulation level and air infiltration performance (transfer of heat or cold between inside and outside) that you require.

Why have more than 3.6 million GAR



Superior performance

Get a product that exceeds your expectations. Our garage doors are **strong** and constructed with **long-lasting components**, rigorously selected.

One of the largest selections in the industry

With thousands of possible combinations, you are sure to find the garage door you are looking for.

3 layers, polyurethane insulation R-16 and R-12



- 1 Polyurethane insulation acts as a thermal break to prevent transfer of cold or heat
- InterLok™ joints block air infiltration for superior thermal insulation
- Wood end blocks are one of the most effective thermal breaks

Models: Townships Collection, Standard+, Acadia 138, H-Tech and Top Tech

3 layers, polystyrene insulation



- 1 Polystyrene insulation pressure bonded between two layers of steel for energy efficiency
- 2" tongue and groove meeting rail to provide a weather-tight seal between sections, and rails are hemmed the entire length of the section for added strength and safety
- 3 Full length reinforcing plates to solidly attach hinges and struts

Models: Village Collection, Vantage 3 WINDLOAD*

2 layers, polystyrene insulation OR 1 layer, non-insulated



- 1 3 options of outside layer: steel, heavy duty steel or commercial grade steel for high durability
- Tongue and groove joints between sections that fit seamlessly
- 3 Polystyrene insulation available as an option

Models: Village Collection, Regal

WINDLOAD * 24 and N24 constructions only

AGA doors been installed since 1983?

A detailed quote for an informed choice

All the options you want can be **quickly** calculated then presented to you in a clear, illustrated quotation. Once your garage door has been chosen, your quotation is automatically transmitted to our factory to be precisely custom-crafted.

In garage door comparison tests, Garaga construction wins hands down. Watch our 45-second videos at garaga.com/lab or scan the QR code.



Garaga lab

The Garaga Wind Load Option is only available for specific regions. Talk to your local garage door dealer for more information

iftMaste

Quiet and reliable garage door openers

ELITE SERIES®



- Ultra quiet
- Belt or chain drive
- ¾ HP, AC or DC power
- Integrated camera for some models



- Ultra quiet
- Jackshaft
- DC power

PREMIUM SERIES®



- Quiet
- · Belt or chain drive
- ½ HP, AC or DC power

CONTRACTOR SERIES®



- Quiet
- Belt or chain drive
- 1/2 HP, AC or DC power

Useful accessories



Keyless and wireless entry system


• Open or close your garage door without using a remote control and program it with a 4-digit code



Automatic Garage Door Lock

• To ensure greater security for your home, can be activated with your smartphone

Consult garaga.com/res-openers or scan the QR code to view all available openers and accessories.





Allows you to open or close your garage door from anywhere by using a smart device such as a watch, telephone, tablet or laptop.



LiftMaster



- Measure existing door opening's width and height in feet and inches.
 This determines the size of door needed. Never base your measurements on the size of the existing door but on the door's opening instead.
- 2) Measure for sideroom, left side c and right side .
 - 6 inches is required on each side for installation of vertical track.
 - Make sure no entry door will interfere with the horizontal track of the door.
- Measure area labeled "headroom" Distance between the top of the door opening and the ceiling (or floor joist);
 - 8 ½" is required for standard extension spring.
 - 12" is required for standard torsion spring.
 - Add 2" more for electric opener.
 - If you have restricted headroom, special hardware is available.

NOTE: If door height extends above the opening, the headroom measurement should be taken from the top of the top section to the ceiling.

- 4) Measure area labeled "backroom" Distance is measured from the garage door opening toward the back wall of the garage.
 - Door height plus 24" is required.
 - Additional backroom (door height + 48") may be required for installation of an automatic garage door opener.
 - Make sure no lighting or other material will interfere with the door sections when moving.

Getting the opening ready

- 1) Make sure the size of the opening matches the size of the door. For example: a door of 9' x 7' needs an opening of 9' wide by 7' high.
- 2) The position of the header and back jambs (2" x 6") are very important. The header must be flush with back jambs (on the same plane). The back jambs must be perpendicular, plumb and square.

For more details, visit **garaga.com/measures** or scan the QR Code.

Measurement

Garaga has established continuous improvement programs for all its products. As a result of this ongoing quest, technical specifications for various doors are subject to change without notice. The colors shown are as exact as printing echniques will allow. Please request an actual color sample. Trademarks and registered trademarks of Garaga Inc. are denoted by TM. ® and ® respectively. © Garaga Inc. 2021 – All rights reserved



Find out the must-haves and the steps to get started. Keep your online deliveries safe, visit garaga.com/ingaragedelivery or scan the QR code.





GARAGA LiftMaster





US Head Office 1 844 918-2828 Ponca City OK

Canadian Head Office 1 800 464-2724 St-Georges QC

info@garaga.com garaga.com















logo FSC

YOUR **GARAGA DISTRIBUTOR**